


Parts Manual



YT Series

Lawn Tractors & Mower Decks

16HP Tractors

Mfg. No. Description

1694368 YT1644, 16HP Hydro

18HP Tractors


Mfg. No. Description

1694369 YT1850, 18HP Hydro

Mower Decks

Mfg. No. Description 1694371 44" Mower Deck 1694372 50" Mower Deck

| RACTOR / MOWER DECK COMPONENTS PAGE | ES |
|---|----|
| Frame Group | 2 |
| Steering Group - Manual Steering | 6 |
| Engine & Electric Clutch Group - 16HP Briggs & Stratton, Vanguard | 8 |
| Transmission Group | 10 |
| Transmission SERVICE PARTS - Tuff Torq K-66L | 14 |
| Lift Group - Manual Lift | 20 |
| Controls Group | 22 |
| Cruise Control Group | 26 |
| Electrical Group | 28 |
| Hood, Grill & Dash Group | 32 |
| Seat & Seat Deck Group | 34 |
| Wheels & Tires Group | 36 |
| Decals Group - Brand & Model | 38 |
| Decals Group - Safety & Common | 40 |
| 44" & 50" Mower Deck - Clutch & Support | 42 |
| 44" & 50" Mower Decks - Housing, Arbors & Blades | 44 |
| 44" Mower Deck - Height Adjustment & Roller Bar | 48 |
| 50" Mower Deck - Height Adjustment & Roller Bar 5 | 52 |
| Torque Specification Chart | er |



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Frame Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|--|
| 1 | 1721748 | 1 | TOWER & SUPPORT ASSEMBLY |
| 2 | 1923683 | 4 | CAPSCREW, Hex Washer Head Taptite, 3/8-16 x 3/4 |
| 3 | 1960541 | 4 | CAPSCREW, Hex Washer Head Taptite, 5/16-18 x 3/4 |
| 4 | 1723528 | 1 | SUPPORT, Seat Deck |
| 5 | 1928352 | 2 | NUT, Hex Flange 3/8-16 Whiz Lock, Large |
| 6 | 1930644 | 2 | NUT, Hex Flange Two-Way Lock, 1/2-13 |
| 7 | 1722602 | 1 | BACKPLATE, |
| 8 | 1923114 | 2 | CAPSCREW, Hex Head 1/2-13 x 1, Black |
| 9 | 1921210 | 2 | CAPSCREW, Hex Head 3/8-16 x 1, Black |
| 10 | 1721572 | 1 | FRAME ASSEMBLY, Front & Rear |
| 11 | 1930645 | 7 | NUT, Hex Flange Two-Way Lock, 3/8-16 |
| 12 | 1922755 | 1 | WASHER, 3/8, Black |
| 13 | 1960103 | 2 | WASHER, 3/8, Black |
| 14 | 1722541 | 1 | LINK, Drag |
| 15 | 1919262 | 1 | NUT, Hex Jam 1/2-20 |
| 16 | 1702779 | 1 | JOINT, Ball |
| 17 | 1708236 | 1 | SPACER, 3/8 x 1/2 x 5/8 |
| 18 | 1931350 | 2 | CARRIAGE BOLT, 3/8-16 x 1 |
| 19 | 1722626 | 1 | ROD, Tie |
| 20 | 1611705 | 2 | SPACER, 25/64 x 5/8 x 5/16, Powder Metal |
| 21 | 1721682 | 6 | BUSHING, 31/32 x 1-1/4 x 3/4, Powder Metal |
| 22 | 1930650 | 2 | NUT, Hex Flange Two-Way Lock, 7/16-14 |
| 23 | 1722200 | 1 | AXLE ASSEMBLY w/LH Spindle, (Includes Ref. Nos, 21, 35, 36, 37 & 43) |
| 24 | 1931352 | 1 | CARRIAGE BOLT, 3/8-16 x 1-1/2 |
| 25 | 1721752 | 1 | SPACER, 11/16 x 21/32 x 2 3/32 |
| 26 | 1927531 | 2 | CAPSCREW, Hex Head, 7/16-14 x 2 G8 |
| 27 | 1721918 | 1 | HOOK, "J" |
| 28 | 960645 | 1 | CAPSCREW, Hex Head, 5/8-11 x 3-1/2 |
| 29 | 1960035 | 2 | WASHER, 5/8 |
| 30 | 1933260 | 4 | CAPSCREW, Hex Flange Whiz Lock, 3/8-16 x 3/4 |
| 31 | 1721805 | 1 | BUMPER, Black |
| 31 | 1723502 | 1 | BUMPER, Chrome |
| 32 | 1960086 | 4 | SCREW, Truss Head Torque Drive, 5/16-18 x 7/8 |
| 33 | 960646 | 1 | NUT, Hex Flange Two-Way Lock, 5/8-11 |
| 34 | 1722212 | 1 | PLATE |
| 35 | 1919394 | 1 | WASHER, 1 |
| 36 | 932577 | 1 | RETIANING RING |
| 37 | 1722199 | 1 | SPINDLE, RH |
| 38 | 923485 | 1 | CAPSCREW, 3/8-16 x 7/8, GR8 |
| 39 | 1663151 | 1 | LOCKWASHER, 3/8 |
| | | | |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Frame Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|--------------------|
| 40 | 1725112 | 1 | HUB & ARM ASSEMBLY |
| 41 | 930671 | 1 | KEY, WOodruff |
| 42 | 1724264 | 1 | SPINDLE, LH |
| 43 | 1704314 | 3 | FITTING, Lube |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:

1694368 - YT1644

Steering Group - Manual Steering


| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 1 | 1722318 | 1 | STEERING WHEEL, Straight, Shaft |
| 2 | 1725024 | 1 | CAP, Steering Wheel, Plain |
| 3 | 1960540 | 1 | PIN, Spring, 5/16 x 2-1/2 |
| 4 | 1722749 | 1 | COVER, Rubber, Upper Steering Shaft |
| 5 | 1960114 | 5 | WASHER, 3/4 |
| 6 | 176440 | 2 | BUSHING, 15/32 x 7/8 x 7/8, Nylon |
| 7 | 928372 | 2 | NUT, Hex KEPS 1/4-20 |
| 8 | 1721736 | 1 | PLATE, Mounting Steering |
| 9 | 1960518 | 2 | NUT, Push |
| 10 | 1931317 | 2 | CARRIAGE BOLT, 1/4-20 x 3/4 |
| 11 | 1722385 | 1 | GEAR & SHAFT ASSEMBLY, Steering |
| 12 | 1960032 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1-1/4, Black |
| 13 | 1930645 | 1 | NUT, Hex Flange Two-Way Lock, 3/8-16 |
| 14 | 1664847 | 2 | CAPSCREW, Hex Washer Head Taptite, 5/16-18 x 3/4 |
| 15 | 1721626 | 1 | SHAFT & PINION ASSEMBLY, Steering Manual |
| 16 | 1611710 | 1 | RING, Clipring Extension |
| 17 | 1722459 | 1 | BEARING, 3/4 x 1-11/16 x 13/16, 3" Long Housing |
| 18 | 1722461 | 1 | SPACER, 3/4 x 1-1/16 x 3/8, Powder Metal |
| 19 | 1931211 | 2 | NUT, Hex Flange Whiz Lock, 3/8-16, Small |
| 20 | 1933260 | 2 | CAPSCREW, Hex Whiz Lock Flange, 3/8-16 x 3/4, Black |
| 21 | 1919314 | 1 | PIN, Cotter, 1-1/4, Black |

Footnotes

The above parts group applies to the following Mfg. Nos.:

985902

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.



The above parts group applies to the following Mfg. Nos.:


Engine & Electric Clutch Group - 16HP Briggs & Stratton, Vanguard

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 1 | 1723165 | 1 | HOSE, Oil Drain, 10-1/2" Long, 3/8-18 Fittings |
| 2 | * | 1 | ENGINE, 16HP Briggs & Stratton Vanguard Twin, Model 303777, Type 1114 |
| 3 | 1719847 | 1 | SEAL, Circle |
| 4 | 1722388 | 1 | BULKHEAD |
| 5 | 1925003 | 2 | CAPSCREW, Hex Washer Head Taptite, 1/2-20 x 1/2, Black |
| 6 | 1721950 | 1 | CONTROL, Throttle Double 39" Long w/Knobs |
| 7 | 1701011 | 2 | TIE, Wire, 7-5/16" Long |
| 8 | 960112 | 2 | CLAMP, Hose Type E |
| 9 | 1718678 | 1 | HOSE, Fuel, 59" Long |
| 10 | 1722392 | 2 | SHIELD, Side |
| 11 | 1929000 | 8 | CAPSCREW, Hex Washer Head Taptite, 1/4-20 x 3/8 |
| 12 | 1722288 | 1 | PULLEY & HUB ASSEMBLY |
| 13 | 932747 | 1 | TIE, Self Locking, 3-5/8 Long |
| 14 | 1708264 | 1 | WASHER, Hex, 7/16, Black |
| 15 | 1918199 | 1 | LOCKWASHER, 7/16 |
| 16 | 1960648 | 1 | CAPSCREW, Hex Head, 7/16-20 x 3-3/4 |
| 17 | 1717664 | 1 | CLUTCH, Electric |
| 18 | 1720463 | 1 | KEY, HI PRO, 1/4 x 2 1/2 |
| 19 | 930598 | 4 | CAPSCREW, Hex Washer Head Taptite, 3/8-16 x 1-1/2 |
| 20 | 920427 | 1 | LOCKWASHER, External Tooth, 3/8 |
| 21 | 1722414 | 1 | SHIELD, Muffler Bottom |
| 22 | 1960368 | 8 | NUT, Speed, 1/4-20, Lug |
| 23 | 1960295 | 4 | CAPSCREW, Hex Flange Whiz Lock, 1/4-20 x 5/8 |
| 24 | 1935255 | 2 | NUT, Speed, 5/16-18, Lug, Black |
| 25 | 1722389 | 1 | DUCT, Muffler Top |
| 26 | 934683 | 2 | CLIP, Wire 1/8 |
| 27 | 1722390 | 1 | DUCT, Muffler Extension |
| 28 | 1924856 | 2 | CAPSCREW, Hex Washer Head Taptite, 5/16-18 x 1/2, Black |
| 29 | 1722625 | 1 | MUFFLER, Briggs & Stratton, Vanguard Twin |
| 30 | * | 1 | GASKET, Briggs & Stratton, Vanguard Twin |
| 31 | 1917356 | 4 | LOCKWASHER, 5/16 |
| 32 | 960660 | 4 | CAPSCREW, Hex Flange Whiz Lock, 5/16-18 x 7/8 |

Footnotes

The above parts group applies to the following Mfg. Nos.:

^{*} See your local Briggs & Stratton distributor for parts and service.



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Transmission Group

| ssion Group | | |
|-------------|---|---|
| PART NO. | | DESCRIPTION |
| 1920397 | 2 | NUT, Hex Lock ESNA Light, 1/4-20 |
| 1960654 | 2 | SCREW, Truss Head, 1/4-20 x 2 |
| 1722174 | 1 | PAD, Footrest, LH, Differential Lock |
| 1722173 | 1 | PAD, Footrest, RH |
| 1960636 | 1 | NUT, Hex KEPS, 5/16-18 |
| 1704351 | 15 | FASTENER, 11/16" Long, Stem Plastic |
| 1928352 | 2 | NUT, Hex Flange Whiz Lock, 3/8-16, Large |
| 1960637 | 6 | NUT, Hex KEPS, 3/8-16 |
| 1931350 | 6 | CARRIAGE BOLT, 3/8-16 x 1 |
| 1919438 | 6 | NUT, Hex Lock ESNA Light, 5/16-18 |
| 1721728 | 2 | SUPPORT |
| 1676148 | 2 | BUSHING, 5/8 x 3/4 x 13/32, Powder Metal |
| 1924940 | 4 | WASHER, 3/8 |
| 1922130 | 1 | CAPSCREW, Hex Head, 3/8-16 x 2-1/4 |
| 1722460 | 7 | PIN, Quick |
| 1722151 | 1 | ROD, Differential Lock, 15-3/16 Long |
| 1925125 | 2 | WASHER, 7/16 |
| 1721360 | 1 | ROD & TUBE ASSEMBLY, Differential Lock Pedal |
| 1716289 | 1 | KNOB |
| 1669105 | 1 | SPACER, 25/64 x 5/8 x 1-1/2, Hardened |
| 1723126 | 1 | KNOB, 3 Sided Soft |
| 1721622 | 1 | ROD, Free Wheel, 18-3/16 Long |
| 1921210 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1, Black |
| 1722903 | 1 | PIVOT ASSEMBLY, Differential Lock |
| 1919326 | 2 | WASHER, 5/16, Black |
| 1923141 | 2 | CAPSCREW, Hex Head, 5/16-18 x 2 3/4, Black |
| 1960590 | 2 | CAPSCREW, Hex Head, 5/16-18 x 3, Black |
| 1722152 | 1 | ROD, Differential Latch, 2 Bends, 6-3/16 Long |
| 1921333 | 1 | CAPSCREW, Hex Head, 5/16-18 x 1 |
| 1722383 | 1 | ARM, Differential Lock |
| 1721952 | 1 | TRANSMISSION ASSEMBLY, K66 Transmission |
| 1918447 | 1 | PIN, Cotter, 3/4, Black |
| 1721424 | 1 | ROD, Brake, 17-27/64 Long |
| 1722684 | 1 | SPRING, Compression |
| 8191045 | 1 | SPRING, Compression |
| 1919439 | 1 | NUT, Hex Lock, ESNA Light 3/8-16 |
| 1960141 | 2 | WASHER, 5/16 |
| 1960027 | 1 | WASHER, 1/2 |
| 1722648 | 1 | BEARING, 1/2 x 9/16 x 3/4, Nylon |
| 1721988 | 1 | ARM & WELD PINS ASSEMBLY, Control K66 |
| | PART NO. 1920397 1960654 1722174 1722173 1960636 1704351 1928352 1960637 1931350 1919438 1721728 1676148 1924940 1922130 1722460 1722151 1925125 1721360 1716289 1669105 1723126 1721622 1921210 1722903 1919326 1923141 1960590 1722152 1921333 1722383 1721952 1918447 1721424 1722684 8191045 1919439 1960141 1960027 1722648 | PART NO. 1920397 2 1960654 2 1722174 1 1722173 1 1960636 1 1704351 15 1928352 2 1960637 6 1931350 6 1919438 6 1721728 2 1676148 2 1924940 4 1922130 1 1722460 7 1722151 1 1925125 2 1721360 1716289 1 1669105 1 1723126 1 1722903 1 1722903 1 1919326 2 19213141 2 1960590 2 1722152 1 1921333 1 1722383 1 1721952 1 1918447 1 1721424 1 1721624 1 1721624 1 1721624 1 1960590 2 172152 1 1921333 1 1722383 1 1721952 1 1918447 1 1721424 1 1721624 1 1721624 1 1721625 1 1921333 1 1722383 1 1721952 1 1918447 1 1721424 1 1721424 1 17216290 1 1960027 1 1722648 |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Transmission Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 41 | 1721392 | 1 | V-BELT |
| 42 | 1722194 | 1 | PULLEY & HUB ASSEMBLY, Transmission |
| 43 | 1719968 | 1 | NUT, Hex Flange, M10-1.5, Nylon Insert |
| 44 | 1719233 | 1 | FAN, 5 Blades, 3 Holes |
| 45 | 1933958 | 3 | CAPSCREW, Hex Washer Head Taptite, 1/4-20 x 1-1/8 |
| 46 | 1931335 | 1 | CARRIAGE BOLT, 5/16-18 x 1 |
| 47 | 1721593 | 1 | STRAP, 4-1/4 Long |
| 48 | 1921719 | 1 | CAPSCREW, Hex Head, 5/16-18 x 2-1/2 |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Transmission SERVICE PARTS - Tuff Torq K-66L

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---------------------|
| 1 | 1718076 | 1 | RING E15 |
| 2 | 1724314 | 1 | FAN |
| 3 | 1708651 | 1 | SEAL |
| 4 | 1708650 | 1 | RING 35 |
| 5 | 1708672 | 4 | RING 15 |
| 6 | 1718083 | 1 | BEARING 6202UC3 |
| 7 | 1724699 | 1 | SHAFT, PUMP |
| 8 | 1722223 | 1 | PIN 3 x 13.8 |
| 9 | 1724696 | 1 | CAP, M20B |
| 10 | 1720789 | 2 | O-RING, P18 |
| 11 | 1724692 | 1 | HOUSING, UPPER |
| 12 | 1724693 | 2 | BUSHING, 25.4 |
| 13 | 1718264 | 2 | SEAL S25.4 x 42 x 8 |
| 14 | 1724695 | 1 | BOLT, 8 x 20 |
| 15 | 1724746 | 1 | FITTING |
| 16 | 1724745 | 1 | SEAL, 8 |
| 17 | 1724740 | 1 | VALVE, VENT 15 |
| 18 | 1724742 | 1 | TANK, RESERVOIR |
| 19 | 1724743 | 1 | PIPE, 8 |
| 20 | 1707890 | 3 | SCREW, TAPPING |
| 21 | 1724744 | 1 | BRACKET, TANK |
| 22 | 1724708 | 1 | ARM, CONTROL |
| 23 | 1724709 | 1 | SPRING, TORSION |
| 24 | 1721181 | 1 | COLLAR, CONTROL |
| 25 | 1721966 | 1 | WASHER 17 x 30 x 1 |
| 26 | 1707912 | 2 | RING |
| 27 | 1724697 | 1 | CASE, CENTER |
| 28 | 1718070 | 1 | PIN 3 x 9.8 |
| 29 | 1724698 | 3 | BOLT, 10 x 65 |
| 30 | 1718084 | 1 | WASHER 12 x 24 x 1 |
| 31 | 1718079 | 2 | CYLINDER BLOCK |
| 32 | 1708675 | 1 | BEARING, THRUST |
| 33 | 1724700 | 1 | HOUSING |
| 34 | 1724702 | 1 | BEARING, 6302UC3 |
| 35 | 1724701 | 1 | SHAFT, MOTOR |
| 36 | 1724723 | 1 | DISC, BRAKE |
| 37 | 1724726 | 1 | ACTUATOR, BRAKE |
| 38 | 1724724 | 1 | SHOE, BRAKE |
| 39 | 1724725 | 1 | SHIM SET |
| 40 | 1724714 | 1 | SHAFT, FINAL PINION |

Footnotes

The above parts group applies to the following Mfg. Nos.:



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Transmission SERVICE PARTS - Tuff Torq K-66L

| Transmission SERVICE PARTS - Tutt Torq K-00L | | | | |
|--|----------|------|-----------------------|--|
| REF NO. | PART NO. | QTY. | DESCRIPTION | |
| 41 | 1724715 | 2 | WASHER, 15 x 32 x 3.2 | |
| 42 | 1724717 | 1 | PINION, FINAL | |
| 44 | 1724716 | 1 | GEAR, REDUCTION | |
| 45 | 1720761 | 1 | FILTER (25) | |
| 46 | 1724729 | 1 | PUMP, CHARGE | |
| 47 | 1724730 | 1 | SPRING, CHARGE PUMP | |
| 48 | 1724733 | 1 | FORK, PIVOT | |
| 49 | 1724731 | 1 | FORK, DIFF LOCK | |
| 50 | 1724719 | 1 | SHAFT, AXLE RH #1 | |
| 51 | 1720860 | 2 | BUSHING | |
| 52 | 1720858 | 2 | THRUST WASHER | |
| 53 | 1720859 | 2 | RING | |
| 54 | 1724720 | 1 | COLLAR, 25.4 | |
| 55 | 1724737 | 8 | PIN, DIFF LOCK | |
| 56 | 1724736 | 1 | SLIDER, DIFF LOCK | |
| 57 | 1724738 | 1 | PLATE, DIFF LOCK | |
| 58 | 1718262 | 1 | DIFFERENTIAL GEAR KIT | |
| 59 | 1724718 | 1 | SHAFT, AXLE LH #1 | |
| 60 | 1718065 | 1 | MAGNET | |
| 61 | 1720761 | 1 | FILTER (25) | |
| 62 | 1724734 | 1 | HOOK, SPRING | |
| 63 | 1724739 | 2 | PACKING, 1AG25 | |
| 64 | 1724732 | 1 | ARM, DIFF LOCK | |
| 65 | 1724735 | 1 | PLATE, ARM | |
| 66 | 1720788 | 2 | BOLT 10 x 12 | |
| 67 | 1724741 | 1 | SPRING, RETURN | |
| 68 | 1720796 | 2 | WASHER, SEAL | |
| 69 | 1720788 | 1 | BOLT 10 x 12 | |
| 70 | 1718226 | 5 | BOLT, 8 x 75 | |
| 71 | 1707789 | 5 | SCREW, TAPPING | |
| 72 | 1720807 | 1 | CAP (M40) | |
| 73 | 1720808 | 1 | PACKING 1A 2040 | |
| 74 | 1724704 | 1 | STAY | |
| 75 | 1718039 | 1 | SHOCK ABSORBER | |
| 76 | 1724706 | 1 | LEVER, CONTROL | |
| 77 | 1724705 | 1 | PIN | |
| 78 | 1724707 | 1 | PIN, 3.5 x 25 | |
| 79 | 1718234 | 1 | PUMP SHAFT | |
| 80 | 1721267 | 1 | THRUST PLATE A | |
| 81 | 1718237 | 1 | BEARING K81106 | |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Transmission SERVICE PARTS - Tuff Torq K-66L

| - Transmission SERVINE TAIL FOR TO SERVINE | | | | |
|--|----------|------|-----------------------|--|
| REF NO. | PART NO. | QTY. | DESCRIPTION | |
| 82 | 1718239 | 1 | THRUST PLATE B | |
| 83 | 1724703 | 1 | PLATE, SWASH | |
| 84 | 1718089 | 2 | THRUST METAL | |
| 85 | 1718061 | 1 | RING | |
| 86 | 1708684 | 1 | SPRING | |
| 87 | 1724711 | 1 | FULCRUM, ECCENTRICIT | |
| 88 | 1718097 | 1 | PIN 6.0A x 25 | |
| 89 | 1707879 | 2 | PACKING | |
| 90 | 1708689 | 1 | WASHER | |
| 91 | 1708692 | 1 | NUT 12 | |
| 92 | 1724712 | 1 | PIN, 4 x 28 | |
| 93 | 1718120 | 1 | SEAL TC162606 | |
| 94 | 1724710 | 1 | SHAFT, CONTROL | |
| 95 | 1720838 | 1 | SHAFT (BYPASS) | |
| 96 | 1708691 | 2 | PACKING | |
| 97 | 1720418 | 1 | LEVER, BYPASS | |
| 98 | 1720421 | 1 | PIN 3.0A x 20 | |
| 99 | 1724727 | 1 | SHAFT, BRAKE HL #10 | |
| 100 | 1724728 | 1 | WASHER, 16 x 23 x 1.6 | |
| 101 | 1708690 | 1 | PACKING | |
| 102 | 1724722 | 1 | SPRING, BRAKE | |
| 103 | 1718100 | 2 | PIN 6.0A x 4.0 | |
| 104 | 1724721 | 1 | ARM, BRAKE | |
| 105 | 1724691 | 1 | HOUSING, COMPLETE SET | |
| 106 | 1724694 | 1 | HOUSING, LOWER | |
| 107 | 1724713 | 1 | GEAR, FINAL | |
| | | | | |

Footnotes

The above parts group applies to the following Mfg. Nos.:




The above parts group applies to the following Mfg. Nos.:

Lift Group - Manual Lift

| | zint Group imanual zint | | | | |
|---------|-------------------------|------|--|--|--|
| REF NO. | PART NO. | QTY. | DESCRIPTION | | |
| 1 | 1927557 | 2 | NUT, Hex Whiz Lock Flange, 5/16-18, Large, Black | | |
| 2 | 1931333 | 4 | CARRIAGE BOLT, 5/16-18 x 3/4 | | |
| 3 | 1722291 | 1 | GRIP, Lift Lever | | |
| 4 | 1723124 | 1 | BUTTON, Red Nylon, for 1/4 Rod | | |
| 5 | 1960518 | 1 | NUT, Push | | |
| 6 | 1723321 | 1 | SPRING, Compression, Lift Lever | | |
| 7 | 1721581 | 1 | QUADRANT, Lift, Powdered Metal | | |
| 8 | 1926149 | 2 | CAPSCREW, Hex Head, 5/16-18 x 1, G8, Black | | |
| 9 | 1721712 | 1 | LEVER ASSEMBLY, Lift | | |
| 10 | 1960636 | 5 | NUT, Hex KEPS, 5/16-18 | | |
| 11 | 1722482 | 1 | ROD, Latch | | |
| 12 | 1722112 | 1 | LOCK, Lift, Powdered Metal | | |
| 13 | 156302 | 1 | SPRING, Extension | | |
| 14 | 1723163 | 1 | SPACER, 1/2 x 3/4 x 23/32 | | |
| 15 | 1721652 | 1 | BAR, Lift, 8-15/16 Long | | |
| 16 | 1919381 | 1 | WASHER, 5/16, Black | | |
| 17 | 1921160 | 1 | CAPSCREW, Hex Head, 5/16-18 x 2-1/4 | | |
| 18 | 1722819 | 1 | PIN, Flat Head Drilled, 1/2 x 2-1/8 Long | | |
| 19 | 1960033 | 1 | CLIP, Hair Pin, 2-9/16 Long | | |
| 20 | 1721654 | 1 | SHAFT ASSEMBLY, Lift | | |
| 21 | 1935255 | 1 | NUT, Speed, 5/16-18, Lug | | |
| 22 | 1675232 | 1 | SPRING, Compression | | |
| 23 | 1723499 | 1 | RETAINER, Spring Flat | | |
| 24 | 1722357 | 1 | CAPSCREW, Hex Washer Head, 5/16-18 x 4-1/2 | | |
| | | | | | |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Controls Group

| Controls Group | | | | |
|----------------|----------|------|--|--|
| REF NO. | PART NO. | QTY. | DESCRIPTION | |
| 1 | 1721353 | 1 | ROD, Brake Lock | |
| 2 | 1721891 | 1 | KNOB, Push On, Red Plastic "P" | |
| 3 | 1930591 | 1 | CAPSCREW, Hex Flange Whiz Lock, 5/16-18 x 3/4 | |
| 4 | 1919326 | 2 | WASHER, 5/16, Black | |
| 5 | 1721476 | 1 | ROD, Brake | |
| 6 | 1723242 | 1 | SPACER, 11/32 x 9/16 x 1/2 | |
| 7 | 1931353 | 2 | CARRIAGE BOLT, 3/8-16 x 1 3/4 | |
| 8 | 1663114 | 2 | BUSHING, 5/8 x 3/4 x 3/4, Nylon | |
| 9 | 921133 | 1 | FITTING, Lube, 1/4 | |
| 10 | 1723278 | 1 | SPRING, Extension | |
| 11 | 1722460 | 3 | PIN, Quick | |
| 12 | 1724036 | 1 | ARM & HUB ASSEMBLY, Idler | |
| 13 | 1960020 | 1 | WASHER, 5/8 | |
| 14 | 1704420 | 1 | RING, Clipring Extension | |
| 15 | 1721134 | 1 | PULLEY, w/Bearing | |
| 16 | 1924940 | 3 | WASHER, 3/8 | |
| 17 | 1919439 | 2 | NUT, Hex Lock ESNA Light, 3/8-16 | |
| 18 | 1721133 | 1 | PULLEY, Idler | |
| 19 | 1723237 | 2 | BUSHING, 1 x 1-1/8 x 5/8, Nylon | |
| 20 | 1722513 | 1 | ARM, Brake | |
| 21 | 1722084 | 1 | PEDAL ASSEMBLY, Foot | |
| 22 | 1931320 | 1 | CARRIAGE BOLT, 1/4-20 x 1-1/4 | |
| 23 | 1918447 | 1 | PIN, Cotter, Black | |
| 24 | 1721354 | 1 | LATCH, Brake | |
| 25 | 1664847 | 3 | CAPSCREW, Hex Washer Head Taptite, 5/16-18 x 3/4 | |
| 26 | 1919438 | 1 | NUT, Hex Lock ESNA Light, 5/16-18 | |
| 27 | 1919381 | 1 | WASHER, 5/16, Black | |
| 28 | 1927557 | 2 | NUT, Hex Flange Whiz Lock Large, 5/16-18 | |
| 29 | 1722535 | 1 | PEDAL, Brake | |
| 30 | 1721577 | 1 | PAD, Brake Pedal | |
| 31 | 1931334 | 4 | CARRIAGE BOLT, 5/16-18 x 7/8 | |
| 32 | 1921333 | 2 | CAPSCREW, 5/16-18 x 1 | |
| 33 | 1722083 | 1 | ACTUATOR, Switch 2.53" Long | |
| 34 | 1923683 | 1 | CAPSCREW, Hex Washer Head Taptite, 3/8-16 x 3/4 | |
| 35 | 1722070 | 1 | PEDAL, Forward | |
| 36 | 1960636 | 4 | NUT, Hex KEPS, 5/16-18 | |
| 37 | 1721675 | 1 | PAD, Foot Pedal Forward | |
| 38 | 1722071 | 1 | PEDAL, Reverse | |
| 39 | 1721674 | 1 | PAD, Foot Pedal Reverse | |
| 40 | 1920397 | 1 | NUT, Hex Lock ESNA Light, 1/4-20 | |
| | | | | |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Controls Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|-------------------|
| 41 | 1686612 | 1 | CAM, Roller |
| 42 | 1721995 | 1 | SPRING, Extension |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Cruise Control Group

| orano control croup | | | | |
|---------------------|----------|------|---|--|
| REF NO. | PART NO. | QTY. | DESCRIPTION | |
| 1 | 1722314 | 1 | COVER, w/Cruise Icon | |
| 2 | 1722293 | 1 | CAPSCREW, 1/4-20 x 7/8 | |
| 3 | 1722303 | 1 | KNOB, Cruise | |
| 4 | 1920397 | 1 | NUT, Hex Lock ESNA Light, 1/4-20 | |
| 5 | 1722003 | 1 | LEVER & BRACKET ASSEMBLY, Cruise | |
| 6 | 1960103 | 2 | WASHER, 3/8, Black | |
| 7 | 1931333 | 1 | CARRIAGE BOLT, 5/16-18 x 3/4 | |
| 8 | 1924361 | 2 | WASHER, 1/2 | |
| 9 | 1709043 | 1 | SPACER, w/Flange, 11/32 x 15/32 x 3/4 | |
| 10 | 1931342 | 1 | CARRIAGE BOLT, 5/16-18 x 2 3/4 | |
| 11 | 1960273 | 1 | CARRIAGE BOLT, 5/16-18 x 2-1/4 | |
| 12 | 1722460 | 2 | PIN, Quick | |
| 13 | 1722117 | 1 | ROD, Cruise | |
| 14 | 1722481 | 1 | ROD, Return | |
| 15 | 159106 | 1 | SPRING, Cruise Return to Frame | |
| 16 | 1960636 | 2 | NUT, Hex KEPS, 5/16-18 | |
| 17 | 1960001 | 2 | CAPSCREW, Hex Washer Head Plastite, 10-14 x 5/8 | |
| 18 | 1717050 | 1 | SWITCH, Push, Neutral Start, Gray | |
| 19 | 1722080 | 1 | SPACER, 11/32 x 5/8 x 1-13/32 | |
| 20 | 1919326 | 1 | WASHER, 5/16, Black | |
| 21 | 1919381 | 1 | WASHER, 5/16, Black | |
| 22 | 1919438 | 1 | NUT, Hex Lock ESNA Light, 5/16-18 | |
| 23 | 1677746 | 1 | SPRING, Compression | |
| 24 | 1918447 | 1 | PIN, Cotter | |
| | | | | |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:

1694368 - YT1644

Electrical Group


| DEENIG | - | 071/ | DESCRIPTION |
|---------|----------|------|---|
| REF NO. | PART NO. | QTY. | DESCRIPTION |
| 1 | 1721810 | 1 | HEADLIGHT ASSEMBLY, 4 Bulb, (Includes Ref. Nos. 2 & 3) |
| 2 | 1677371 | 4 | BULB, Headlight, 12.8V |
| 3 | 1723451 | 4 | SOCKET ASSEMBLY, Headlight, Sealed |
| 4 | 1722669 | 1 | HARNESS, Headlight |
| 5 | 1722887 | 1 | SWITCH, PTO Push/Pull Symbols |
| 6 | 1925003 | 2 | CAPSCREW, Hex Washer Head Taptite, 1/4-20 x 1/2, Black |
| 7 | 1665238 | 1 | BREAKER, Circuit, 12 Volt 20 Amps |
| 8 | 1665237 | 1 | WIRE, 12GA 5-15/16 Long, Red |
| 9 | 1722611 | 1 | PLUG, Hole, Square |
| 10 | 1722228 | 1 | PANEL, Instrument w/ Fuel Gage & Hour Meter |
| 11 | 1920263 | 2 | NUT, Hex, 5/16-24 |
| 12 | 920426 | 3 | LOCKWASHER, External Tooth, 5/16 |
| 13 | 1722739 | 1 | SOLENOID |
| 14 | 1686734 | 1 | SWITCH ASSEMBLY, Ignition 5/8-32, 6 Pin INDAK, (Includes Ref. Nos. 15, 16, 17, 18 & 19) |
| 15 | 1717163 | 1 | KEYS, Set of 2 |
| 16 | 1717550 | 1 | COVER, For Ignition Switch, Plastic |
| 17 | 1717549 | 1 | NUT, Hex Flange, 5/8-32, Ignition Switch |
| 18 | 1960547 | 1 | LOCKWASHER, Internal Tooth, 5/8, Thin |
| 19 | 101025 | 1 | WASHER, Shim |
| 20 | 1722715 | 1 | HARNESS, Wiring Upper |
| 21 | 1701011 | 3 | TIE, Strap, 7-5/16 Long |
| 22 | 1716951 | 1 | SWITCH, Headlights , 2 Terminal |
| 23 | 1713535 | 1 | BOOT, Insulator Cable Terminal, 1-15/16 Long, Red |
| 24 | 1721830 | 1 | CABLE, #6 x 25" Long, Ring Terminals |
| 25 | 1603618 | 1 | CABLE, #6 x 8" Long, Ring Terminals |
| 26 | 1677296 | 1 | BOOT, Insulator Battery Terminal |
| 27 | 916622 | 2 | NUT, Hex, 1/4-20 |
| 28 | 916964 | 2 | LOCKWASHER, 1/4 |
| 29 | 921319 | 2 | WASHER, 1/4 |
| 30 | 923341 | 2 | CAPSCREW, Hex Head, 1/4-20 x 3/4 |
| 31 | 1713163 | 1 | CABLE, #6 x 26 Long, Ring Terminal |
| 32 | 1685215 | 1 | BATTERY, 12 Volt |
| 33 | 1722009 | 1 | STRAP, Battery, 14 Long, Rubber |
| 34 | 1930531 | 5 | SCREW, Truss Head Phillips, #10-32 x 1/2 |
| 35 | 1917365 | 5 | LOCKWASHER, 3/16 #10 |
| 36 | 1722309 | 1 | PLUG, Hole 3", Round |
| 37 | 1686921 | 1 | SENDER, Fuel Tank |
| 38 | 1960536 | 2 | CAPSCREW, Hex Washer Head Plastite, 1/4 x 1/2 |
| 39 | 1716368 | 1 | SWITCH, Seat, Grey, NC |
| 40 | 1723249 | 1 | SWITCH, Push Button, Foot Pedal |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644

985911

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Electrical Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|----------------------------------|
| 41 | 1717050 | 1 | SWITCH, Cruise Control, Grey, NO |
| 42 | 1722716 | 1 | HARNESS, Wiring Lower |
| 43 | 1685303 | | GASKET |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644




The above parts group applies to the following Mfg. Nos.:

Hood, Grill & Dash Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 1 | 1721804 | 1 | PANEL, RH Side, Orange |
| 1 | 41721804 | 1 | PANEL, RH Side, Red |
| 2 | 1722110 | 1 | HOOD, w/Louver, Orange |
| 2 | 41722110 | 1 | HOOD, w/Louver, Red |
| 3 | 1960295 | 12 | CAPSCREW, Hex Flange Whiz Lock, 1/4-20 x 5/8 |
| 4 | 1960392 | 1 | SCREW, Pan Head Phillips, #10-24 x 1/2 |
| 5 | 1722107 | 1 | DASHBOARD |
| 6 | 1723123 | 1 | ROD, Dash Support |
| 7 | 1933896 | 1 | NUT, Hex Lock, w/Nylon Insert, 10-24 |
| 8 | 1930641 | 12 | NUT, Hex Flange Whiz Lock, 1/4-20, Large, Black |
| 9 | 1721803 | 1 | PANEL, LH Side, Orange |
| 9 | 41721803 | 1 | PANEL, LH Side, Red |
| 10 | 1721808 | 1 | HINGE, LH |
| 11 | 1721802 | 1 | GRILLE, Orange |
| 11 | 41721802 | 1 | GRILLE, Red |
| 12 | 1721810 | 1 | HEADLIGHT ASSEMBLY, 4 Bulb (See Electrical Group for internal |
| | | | components) |
| 13 | 1721809 | 1 | HINGE, RH |
| 14 | 1722391 | 1 | DUCT, Air Inlet |
| | | | |

Footnotes

The above parts group applies to the following Mfg. Nos.:



The above parts group applies to the following Mfg. Nos.:

1694368 - YT1644


Seat & Seat Deck Group


| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|--|
| 1 | 1722129 | 1 | BRACKET, 1-5/8 x 1-3/4 |
| 2 | 1722307 | 1 | * SEAT, 18" Back, Optional |
| 2 | 1722306 | 1 | * SEAT, 15" Back, Standard |
| 3 | 1722128 | 1 | SUPPORT, |
| 4 | 172434 | 1 | CLIP, Wire |
| 5 | 1709256 | 2 | WASHER, Spring, 5/16 x 1-1/4, Black |
| 6 | 1714263 | 2 | SPRING, Compression |
| 7 | 1919438 | 10 | NUT, Hex Lock, ESNA Light 5/16-18 |
| 8 | 1717051 | 2 | SPRING, Compression |
| 9 | 1930591 | 12 | CAPSCREW, Hex Flange Whiz Lock, 5/16-18 x 3/4 |
| 10 | 1931339 | 2 | CARRIAGE BOLT, 5/16-18 x 2 |
| 11 | 1931350 | 2 | CARRIAGE BOLT, 3/8-16 x 1 |
| 12 | 1722356 | 1 | SLIDE, Seat |
| 13 | 1935255 | 4 | NUT, Speed, 5/16-18, Lug |
| 14 | 1930601 | 4 | CAPSCREW, Hex Washer Head Taptite, 5/16-18 x 5/8 |
| 15 | 1722309 | 2 | PLUG, Plastic |
| 16 | 1722109 | 1 | POD, with Cup Holder, LH |
| 17 | 1921319 | 8 | WASHER, 1/4 |
| 18 | 1916964 | 8 | LOCKWASHER, 1/4 |
| 19 | 1921959 | 8 | CAPSCREW, Hex Head, 1/4-20 x 5/8 |
| 20 | 1931277 | 4 | NUT, Hex Flange, 5/16-18, Whiz Lock Small, Black |
| 21 | 1715917 | 1 | CAP, Gas |
| 22 | 1722340 | 1 | TUBE & ELBOW ASSEMBLY |
| 23 | 1654930 | 1 | BUSHING, 3/8 x 9/16 x 5/8, Rubber |
| 24 | 1722432 | 1 | TANK, Fuel |
| 25 | 1960636 | 8 | NUT, Hex KEPS, 5/16-18 |
| 26 | 1722106 | 1 | DECK, Seat, Orange |
| 26 | 41722106 | 1 | DECK, Seat, Red |
| 27 | 1722108 | 1 | POD, RH with 2 Slots |
| 28 | 1722105 | 1 | TUNNEL, Orange |
| 28 | 41722105 | 1 | TUNNEL, Red |
| 29 | 1663752 | 2 | SPACER, 25/64 x 5/8 x 3/16, Hardened |
| 30 | 1930645 | 2 | NUT, Hex Flange Two-Way Lock, 3/8-16 |
| 31 | 1924940 | 2 | WASHER, 3/8 |
| 32 | 1722300 | 1 | FUEL GAUGE |
| 33 | 1722337 | 1 | GROMMET |
| | | | |

Footnotes

* Arm Rest Kit - 1686907

The above parts group applies to the following Mfg. Nos.:





The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644

Wheels & Tires Group

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|--|
| 1 | 1722305 | 2 | WHEEL & TIRE ASSEMBLY, Front, (Includes Ref. 2, 3, 4, 5 & 6) |
| 2 | 1722833 | 2 | TIRE, 16 x 6-1/2 - 8 Super Turf, Front |
| 3 | 164247 | 2 | TUBE, Tire 16 x 6-1/2 - 8, Front |
| 4 | 1717056 | 4 | BEARING, Ball |
| 5 | 1722834 | 2 | WHEEL, 5 3/8 x 7-15/16, Front |
| 6 | 172353 | 4 | VALVE STEM & CAP ASSEMBLY |
| 7 | 1919394 | 4 | WASHER |
| 8 | 1722726 | 8 | WASHER, Special, 1 x 2-1/2 |
| 9 | 932577 | 6 | RING, Shaft |
| 10 | 1722676 | 4 | CAP, Hub Grey, 2-23/64 |
| 11 | 105337 | 2 | KEY, HI PRO, 1/4 x 2 |
| 12 | 960200 | 4 | WASHER |
| 13 | 1723112 | 2 | SPACER, 1-1/16 x 1-1/2 x 1-23/32, Black |
| 14 | 1721400 | 2 | PLATE & HUB ASSEMBLY, Rear Wheel w/Studs |
| 15 | 1722766 | 2 | WHEEL & TIRE ASSEMBLY, Rear 23" |
| 16 | 1722830 | 2 | TIRE, 23 x 10-1/2 - 12 Super Turf, Rear |
| 17 | 157638 | 2 | TUBE, Tire 23 x 10-1/2 - 12, Rear |
| 18 | 1722831 | 2 | WHEEL, 7 x 12, Rear |
| 19 | 934712 | 2 | RING, Shaft |
| 20 | 177725 | 10 | NUT, Hex 7/16-20, For Wheel Bolt |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694368 - YT1644



The above parts group applies to the following Mfg. Nos.:

1694368 - YT1644 1694369 - YT1850


Decals Group - Brand & Model

| PART NO. | QTY. | DESCRIPTION |
|----------|--|---|
| 1725061 | 1 | DECAL, Snapper |
| 1725065 | 1 | DECAL, Hood Stripe, Snapper, LH |
| 1725066 | 1 | DECAL, Hood Stripe, Snapper, RH |
| 1725062 | 2 | DECAL, YT1644 |
| 1725063 | 2 | DECAL, YT1850 |
| | 1725061 1725065 1725066 1725062 | 1725061 1 1725065 1 1725066 1 1725062 2 |

Footnotes

The above parts group applies to the following Mfg. Nos.:

1694368 - YT1644 1694369 - YT1850



The above parts group applies to the following Mfg. Nos.:


1694368 - YT1644 1694369 - YT1850

Decals Group - Safety & Common

| 1 1722806 1 DECAL, Ignition Switch Symbols, White/Black 2 1718025 1 DECAL, Automatic Control Traction 3 1722814 1 DECAL, Tunnel Cover, Danger Slopes/Blades 3 1723175 1 DECAL, Tunnel Cover, Danger Slopes/Blades, (Expendence of Supplementary Covers) 4 1723143 1 DECAL, Lift Lever Symbols 5 1723410 1 DECAL, Drive Belts, Mower Blades 6 1720454 1 DECAL, Touch Up Paint, Deep Orange 6 1720456 1 DECAL, Touch-Up Paint, Red 7 1723296 2 DECAL, Protective Sticker 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe 12 1723160 1 DECAL, Transmission Release Valve | |
|--|------|
| 3 1722814 1 DECAL, Tunnel Cover, Danger Slopes/Blades 3 1723175 1 DECAL, Tunnel Cover, Danger Slopes/Blades, (Expendicular Expendicular Expension Expendicular Expendicular Expendicular Expendicular Expendicular Expendicular Expension E | |
| 3 1723175 1 DECAL, Tunnel Cover, Danger Slopes/Blades, (Expert of the content of | |
| 4 1723143 1 DECAL, Lift Lever Symbols 5 1723410 1 DECAL, Drive Belts, Mower Blades 6 1720454 1 DECAL, Touch Up Paint, Deep Orange 6 1720456 1 DECAL, Touch-Up Paint, Red 7 1723296 2 DECAL, Protective Sticker 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 5 1723410 1 DECAL, Drive Belts, Mower Blades 6 1720454 1 DECAL, Touch Up Paint, Deep Orange 6 1720456 1 DECAL, Touch-Up Paint, Red 7 1723296 2 DECAL, Protective Sticker 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | ort) |
| 6 1720454 1 DECAL, Touch Up Paint, Deep Orange 6 1720456 1 DECAL, Touch-Up Paint, Red 7 1723296 2 DECAL, Protective Sticker 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 6 1720456 1 DECAL, Touch-Up Paint, Red 7 1723296 2 DECAL, Protective Sticker 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 7 1723296 2 DECAL, Protective Sticker 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 8 * 1 LABEL, Decibel, Power Mass 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 9 * 1 DECAL, I.D. Plate 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 10 * 1 DECAL, Patent 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| 11 1708927 1 DECAL, Paterit 11 1708927 1 DECAL, USA Logo Stars & Stripe | |
| | |
| 12 1723160 1 DECAL, Transmission Release Valve | |
| | |
| 13 * 1 DECAL, I.D. Plate | |
| 14 1704276 1 DECAL, Danger Do Not Put Hands/Feet in Mower | |
| 15 1722771 1 DECAL, Free Floating Mower, Silver | |
| 16 * 1 DECAL, OPEI Certified | |
| 17 1722789 1 DECAL, 44", Silver on Black with Stripe | |
| 17 1722790 1 DECAL, 50", Silver on Black with Stripe | |
| 17 1722791 1 DECAL, 54", Silver on Black with Stripe | |
| 18 1704277 1 DECAL, Danger Do Not Operate Without Deflector | |
| 19 1721197 1 DECAL, Height of Cut | |

Footnotes

The above parts group applies to the following Mfg. Nos.:



The above parts group applies to the following Mfg. Nos.:


1694371 - 44" Mower

44" & 50" Mower Deck - Clutch & Support

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 1 | 1601672 | 1 | V-BELT, Mower Drive, (for 44" Mower Decks Only) |
| 1 | 1707740 | 1 | V-BELT, Mower Drive, (for 50" Mower Decks Only) |
| 2 | 1703836 | 1 | V-BELT, Arbor Drive, (for 50" Mower Decks Only) |
| 2 | 1721532 | 1 | V-BELT, Arbor Drive, (for 44" Mower Decks Only) |
| 3 | 1665835 | 1 | GRIP, Lever |
| 4 | 1916950 | 2 | NUT, Hex, 3/8-16 |
| 5 | 1916965 | 2 | WASHER, Lock, 3/8 |
| 6 | 1677135 | 1 | BELT STOP, Idler |
| 7 | 1924940 | 14 | WASHER, 3/8 |
| 8 | 1666294 | 2 | SPACER, 25/64 x 21/32 x 7/16, Powder Metal |
| 9 | 1685150 | 2 | PULLEY, Idler, (Includes Ref. No. 8) |
| 10 | 1960339 | 1 | NUT, Hex Flange, 3/8-16, MAC Lock Large, Black |
| 11 | 1676148 | 4 | BUSHING, 5/8 x 3/4 x 13/32, Powder Metal |
| 12 | 1715435 | 1 | SPRING |
| 13 | 1674669 | 2 | SPACER, 25/64 x 5/8 x 1-1/8, Case Hardened |
| 14 | 912808 | 2 | GREASE FITTING |
| 15 | 1704658 | 1 | LEVER ASSEMBLY, Idler, (Includes Ref. Nos. 11 & 14) |
| 16 | 1960315 | 1 | CARRIAGE BOLT, 3/8-16 x 2 |
| 17 | 1718561 | 1 | LEVER ASSEMBLY, Idler Arm, (Includes Ref. Nos. 11 & 14) |
| 18 | 1924356 | 2 | WASHER, 3/8, Black |
| 19 | 1931352 | 1 | CARRIAGE BOLT, 3/8-16 x 1-1/2 |
| 20 | 1656936 | 1 | SPRING |
| 21 | 1923938 | 1 | CAPSCREW, Hex Head, 3/8-16 x 3-1/2 |
| 22 | 1921969 | 2 | CAPSCREW, Hex Head, 3/8-16 x 1-1/2 |
| 23 | 157081 | 2 | SPACER, 3/8 x 3/4 x 1/2 |
| 24 | 960641 | 2 | NUT, Hex Aluminum Insert Lock, 3/8-16 |
| 25 | 156302 | 1 | SPRING |
| 26 | 1707432 | 1 | HITCH ASSEMBLY |
| 27 | 1715759 | 1 | ROD, Latch |

Footnotes

The above parts group applies to the following Mfg. Nos.:




The above parts group applies to the following Mfg. Nos.:

44" & 50" Mower Decks - Housing, Arbors & Blades

| | moner beens | | ing, Albors & Diddes |
|---------|-------------|------|--|
| REF NO. | PART NO. | QTY. | DESCRIPTION |
| 1 | 1714419 | 3 | NUT, Hex Flange, 9/16-18 |
| 2 | 1713675 | 6 | WASHER, Bellevilled, 9/16 |
| 3 | 1713161 | 1 | PULLEY |
| 4 | 1713158 | 1 | HUB, Double Pulley |
| 5 | 1713098 | 3 | PULLEY |
| 6 | 1713533 | 1 | HUB, Double Pulley |
| 7 | 1655729 | 3 | COVER, Arbor Housing |
| 8 | 108202 | 3 | BEARING, Ball, 3/4 x 1-3/4 x 5/8 |
| 9 | 1715724 | 3 | SPACER, 21/32 x 3/4 x 5/8 |
| 10 | 1715723 | 3 | SPACER, 11/16 x 5/32 x 2-11/16 |
| 11 | 1705897 | 3 | BEARING, Ball, 11/16 x 1-9/16 x 15/32 |
| 12 | 1707335 | 3 | GASKET, Foam |
| 13 | 1713338 | 3 | ARBOR HOUSING ASSEMBLY, (Includes Ref. No. 14) |
| 14 | 1704314 | 3 | FITTING, Grease |
| 15 | 1720560 | 1 | COVER, Arbor |
| 16 | 1664847 | 26 | CAPSCREW, Hex Head Taptite, 5/16-18 x 3/4 |
| 17 | 1924856 | 1 | CAPSCREW, Hex Washer Head, 5/16-18 x 1/2, Black, (for 44" Mower Deck Only) |
| 18 | 1931277 | 1 | NUT, Hex Flange, 5/16, (for 44" Mower Deck Only) |
| 19 | 1713619 | 3 | WASHER, Bellevilled, 9/16, Black |
| 20 | 1713612 | 1 | SHAFT, Arbor (LH) |
| 21 | 1713196 | 3 | SHIELD, Grass, Lower |
| 22 | 1704100 | 3 | BLADE, Mower, 16-1/8 (for 44" Decks) |
| 22 | 1708229 | 3 | BLADE, Mower, 18-1/8 (for 50" Decks) |
| 23 | 1713089 | 3 | WASHER, Hex, 11/16 x 2 |
| 24 | 1656916 | 3 | WASHER, Spring 15/32, Black |
| 25 | 923471 | 3 | CAPSCREW, Hex Head, 7/16-14 x 1 |
| 26 | 1713195 | 2 | SHAFT, Arbor (Center & RH) |
| 27 | 1685411 | 1 | MOWER HOUSING ASSEMBLY, 44" Mower (Orange) |
| 27 | 1685495 | 1 | MOWER HOUSING ASSEMBLY, 50" Mower (Orange) |
| 27 | 41685411 | 1 | MOWER HOUSING ASSEMBLY, 44" Mower (Red) |
| 27 | 41685495 | 1 | MOWER HOUSING ASSEMBLY, 50" Mower (Red) |
| 28 | 1703601 | 1 | COVER, Arbor |
| 29 | 1931318 | 2 | CARRIAGE BOLT, 1/4-20 x 7/8 |
| 30 | 1705115 | 1 | PLUG, Hole |
| 31 | 1960518 | 2 | NUT, Push |
| 32 | 1960353 | 2 | WASHER, 1/4, Black |
| 33 | 1704873 | 1 | CLAMP |
| 34 | 1919326 | 1 | WASHER, 5/16, Black |
| 35 | 1705080 | 1 | SPRING |
| 36 | 1916964 | 2 | WASHER, Lock, 1/4 |

Footnotes

The above parts group applies to the following Mfg. Nos.:




The above parts group applies to the following Mfg. Nos.:

44" & 50" Mower Decks - Housing, Arbors & Blades

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|--------------------------|
| 37 | 1916622 | 2 | NUT, Hex, 1/4-20 |
| 38 | 1706709 | 1 | ROD, Deflector, Front |
| 39 | 1705449 | 1 | DEFLECTOR, Plastic |
| 40 | 1713197 | 2 | HUB, Pulley, Center & RH |

Footnotes

The above parts group applies to the following Mfg. Nos.:



The above parts group applies to the following Mfg. Nos.:


1694371 - 44" Mower

44" Mower Deck - Height Adjustment & Roller Bar

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 1 | 1685443 | 1 | SHAFT ASSEMBLY, Roller, 44", (Includes Ref. Nos. 7 & 9) |
| 2 | 1704082 | 1 | NUT, Adjuster |
| 3 | 960641 | 3 | NUT, Hex Aluminum Insert Lock, 3/8-16 |
| 4 | 1677507 | 1 | SLIDE |
| 5 | 1924361 | 1 | WASHER, Plain, 1/2 |
| 6 | 172622 | 1 | BOLT, Shoulder, 3/8-16 |
| 7 | 1602946 | 2 | SPACER, 25/64 x 13/16 x 13/16, Steel, Black |
| 8 | 1722036 | 2 | ROLLER, Rounded, 2-1/2 Long |
| 9 | 1960520 | 2 | NUT, Push |
| 10 | 1924366 | 10 | WASHER, Plain, 1-1/4 |
| 11 | 1668513 | 7 | ROLLER |
| 12 | 1704074 | 1 | BAR, Roller |
| 13 | 1930644 | 2 | NUT, Hex, Flange, Lock, 1/2-13 |
| 14 | 1664847 | 5 | CAPSCREW, Hex Head Taptite, 5/16 -18 x 3/4 |
| 15 | 1924940 | 3 | WASHER, 3/8 |
| 16 | 1722747 | 1 | UP-STOP, 6-1/4 High, Black |
| 17 | 1665374 | 3 | STRAP, Mower Arm Assembly |
| 18 | 1931352 | 1 | CARRIAGE BOLT, 3/8-16 x 1-1/2 |
| 19 | 1723407 | 1 | ARM ASSEMBLY, Mower |
| 20 | 1930570 | 2 | CAPSCREW, Hex Head, 5/16-18 x 1 1/2, Black |
| 21 | 1919381 | 5 | WASHER, 5/16, Black |
| 22 | 1707514 | 2 | CHAIN, 3 Link, 4-1/2 Long |
| 23 | 1919438 | 2 | NUT, Hex Lock ESNA Light, 5/16-18, Black |
| 24 | 1704093 | 1 | ROD, Adjustment |
| 25 | 1706644 | 1 | SPACER, 3/8 x 3/4 x 15/16 |
| 26 | 1922606 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1-3/4 |
| 27 | 1722748 | 1 | BRACKET, Up-Stop, 6" Long |
| 28 | 1960020 | 1 | WASHER, 5/8 |
| 29 | 1960373 | 2 | CAPSCREW, Hex Washer Head Taptite, 5/16-18 x 1, Black |
| 30 | 1704080 | 1 | PLATE, Mower Support |
| 31 | 1931202 | 2 | CAPSCREW, Hex Head Taptite, 5/16-18 x 1-1/4 |
| 32 | 1704114 | 1 | INDICATOR, Cutting Height |
| 33 | 1704097 | 1 | WASHER, Detent |
| 34 | 1704086 | 1 | TRUNNION |
| 35 | 916001 | 1 | PIN, Roll, 1 |
| 36 | 1704081 | 1 | TRUNNION |
| 37 | 1913744 | 2 | NUT, Hex, Jam, 1/2-13 |
| 38 | 1960170 | 3 | WASHER, 33/64 |
| 39 | 118053 | 1 | PIN, Clevis |
| 40 | 1918452 | 1 | PIN, Cotter, 1, Black |

Footnotes

The above parts group applies to the following Mfg. Nos.: 1694371 - 44" Mower



The above parts group applies to the following Mfg. Nos.:

1694371 - 44" Mower


44" Mower Deck - Height Adjustment & Roller Bar

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|-------------------------------------|
| 41 | 1917372 | 2 | NUT, Hex, 5/16-18 |
| 42 | 1917356 | 2 | WASHER, Lock, 5/16 |
| 43 | 1704116 | 1 | BRACKET, Cutting Height |
| 44 | 1704083 | 1 | ARM, Rear, Mower, RH |
| 45 | 1921977 | 2 | CAPSCREW, Hex Head, 5/16-18 x 1-1/4 |
| 46 | 1704087 | 1 | TRUNNION, Threaded |
| 47 | 1719901 | 1 | CRANK, Cutting Height |
| 48 | 1714084 | 1 | KNOB, Height Crank |
| 49 | 1960093 | 1 | PAL NUT |

Footnotes

The above parts group applies to the following Mfg. Nos.:

1694371 - 44" Mower




The above parts group applies to the following Mfg. Nos.:

50" Mower Deck - Height Adjustment & Roller Bar

| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|---|
| 1 | 1686687 | 1 | SHAFT ASSEMBLY, Roller, 50", (Includes Ref. No. 10) |
| 2 | 1704082 | 1 | NUT, Adjuster |
| 3 | 960641 | 3 | NUT, Hex Aluminum Insert Lock, 3/8-16 |
| 4 | 1677507 | 1 | SLIDE |
| 5 | 1924361 | 1 | WASHER, Plain, 1/2 |
| 6 | 172622 | 1 | BOLT, Shoulder, 3/8-16 |
| 7 | 1924366 | 8 | WASHER, Plain, 1 1/4 |
| 8 | 1709195 | 3 | SPACER, 21/32 x 5/32 x 5/8 |
| 9 | 1722036 | 2 | ROLLER, Rounded End |
| 10 | 1960520 | 2 | NUT, Push |
| 11 | 1668513 | 8 | ROLLER |
| 12 | 1704074 | 1 | BAR, Roller |
| 13 | 1930644 | 2 | NUT, Hex Flange, 2 Way Lock, 1/2-13 |
| 14 | 1665374 | 3 | STRAP, Mower Arm Assembly |
| 15 | 1664847 | 6 | CAPSCREW, Hex Head Taptite, 5/16 -18 x 3/4 |
| 16 | 1931352 | 1 | CARRIAGE BOLT, 3/8-16 x 1-1/2 |
| 17 | 1718828 | 1 | ARM ASSEMBLY, Mower |
| 18 | 1930570 | 2 | CAPSCREW, Hex Head, 5/16-18 x 1-1/4, G8, 1/2 Thread |
| 19 | 1919381 | 5 | WASHER, 5/16, Black |
| 20 | 1708088 | 2 | CHAIN, 4 Link, 6 3/32 Long |
| 21 | 1919438 | 2 | NUT, Hex Lock ESNA Light, 5/16-18, Black |
| 22 | 1722995 | 1 | ROD, Adjustment |
| 23 | 1706644 | 1 | SPACER, 3/8 x 3/4 x 15/16 |
| 24 | 1924940 | 1 | WASHER, 3/8 |
| 25 | 1922606 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1-3/4 |
| 26 | 1704080 | 1 | PLATE, Mower Support |
| 27 | 1931202 | 2 | CAPSCREW, Hex Head Taptite, 5/16-18 x 1-1/4 |
| 28 | 1704114 | 1 | INDICATOR, Cutting Height |
| 29 | 1704097 | 1 | WASHER, Detent |
| 30 | 1704086 | 1 | TRUNNION |
| 31 | 916001 | 1 | PIN, Roll, 1 |
| 32 | 1706645 | 1 | TRUNNION |
| 33 | 1915726 | 2 | NUT, Hex, Jam, 1/2-13 |
| 34 | 1960170 | 1 | WASHER, 11/32 |
| 35 | 118053 | 1 | PIN, Clevis |
| 36 | 1918452 | 1 | PIN, Cotter, 1, Black |
| 37 | 1917372 | 2 | NUT, Hex, 5/16-18 |
| 38 | 1917356 | 2 | WASHER, Lock, 5/16 |
| 39 | 1704116 | 1 | BRACKET, Cutting Height |
| 40 | 1704083 | 1 | ARM, Rear, Mower, RH |

Footnotes

The above parts group applies to the following Mfg. Nos.:



The above parts group applies to the following Mfg. Nos.:

50" Mower Deck - Height Adjustment & Roller Bar


| REF NO. | PART NO. | QTY. | DESCRIPTION |
|---------|----------|------|-------------------------------------|
| 41 | 1921977 | 2 | CAPSCREW, Hex Head, 5/16-18 x 1-1/4 |
| 42 | 1704087 | 1 | TRUNNION, Threaded |
| 43 | 1719901 | 1 | CRANK, Cutting Height |
| 44 | 1714084 | 1 | KNOB, Height Crank |
| 45 | 1960093 | 1 | PAL NUT |

Footnotes

The above parts group applies to the following Mfg. Nos.:

Hardware Identification & Torque Specifications

Common Hardware Types




Standard Hardware Sizing

When a washer or nut is identified as **1/2**", this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch; if a second number is present it represent the *threads per inch*

When bolt or capscrew is identified as **1/2 - 16 x 2**", this means the *Nominal size*, or *body diameter* is 1/2 inch; the second number represents the *threads per inch* (16 in this example, and the final number is the *body length* of the bolt or screw (in this example 2 inches long).

The guides and ruler furnished below are designed to help you select the appropriate hardware and tools.



Torque Specification Chart

FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)

| Hardware Grade | No Marks SAE Grade 2 | | SAE Grade 5 | | SAE Grade 8 | |
|---------------------|----------------------------|-------|------------------|-------|------------------|---------|
| Size Of Hardware | in/lbs ft/lbs | Nm. | in/lbs ft/lbs | Nm. | in/lbs ft/lbs | Nm. |
| 8-32 | 19 | 2.1 | 30 | 3.4 | 41 | 4.6 |
| 8-36 | 20 | 2.3 | 31 | 3.5 | 43 | 4.9 |
| 10-24 | 27 | 3.1 | 43 | 4.9 | 60 | 6.8 |
| 10-32 | 31 | 3.5 | 49 | 5.5 | 68 | 7.7 |
| 1/4-20 | 66 | 7.6 | 8 | 10.9 | 12 | 16.3 |
| 1/4-28 | 76 | 8.6 | 10 | 13.6 | 14 | 19.0 |
| 5/16-18 | 11 | 15.0 | 17 | 23.1 | 25 | 34.0 |
| 5/16-24 | 12 | 16.3 | 19 | 25.8 | 27 | 34.0 |
| 3/8-16 | 20 | 27.2 | 30 | 40.8 | 45 | 61.2 |
| 3/8-24 | 23 | 31.3 | 35 | 47.6 | 50 | 68.0 |
| 7/16-14 | 30 | 40.8 | 50 | 68.0 | 70 | 95.2 |
| 7/16-20 | 35 | 47.6 | 55 | 74.8 | 80 | 108.8 |
| 1/2-13 | 50 | 68.0 | 75 | 102.0 | 110 | 149.6 |
| 1/2-20 | 55 | 74.8 | 90 | 122.4 | 120 | 163.2 |
| 9/16-12 | 65 | 88.4 | 110 | 149.6 | 150 | 204.0 |
| 9/16-18 | 75 | 102.0 | 120 | 163.2 | 170 | 231.2 |
| 5/8-11 | 90 | 122.4 | 150 | 204.0 | 220 | 299.2 |
| 5/8-18 | 100 | 136 | 180 | 244.8 | 240 | 326.4 |
| 3/4-10 | 160 | 217.6 | 260 | 353.6 | 386 | 525.0 |
| 3/4-16 | 180 | 244.8 | 300 | 408.0 | 420 | 571.2 |
| 7/8-9 | 140 | 190.4 | 400 | 544.0 | 600 | 816.0 |
| 7/8-14 | 155 | 210.8 | 440 | 598.4 | 660 | 897.6 |
| 1-8 | 220 | 299.2 | 580 | 788.8 | 900 | 1,244.0 |
| 1-12 | 240 | 326.4 | 640 | 870.4 | 1,000 | 1,360.0 |

NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- 2. Recommended seating torque values for locknuts:
 - a. for prevailing torque locknuts use 65% of grade 5 torques.
 - for flange whizlock nuts and screws use 135% of grade 5 torques.
- 3. Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Wrench & Fastener Size Guide



1/4" Bolt or Nut Wrench—7/16"



5/16" Bolt or Nut Wrench—1/2"



3/8" Bolt or Nut Wrench—9/16"



7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"



1/2" Bolt or Nut Wrench—3/4"

